

# GOODTIRE

## TUBES

2019 CATALOGUE





## GOODTIRE HIGH QUALITY TUBES

Goodtire butyl motorcycle tubes are available in all rim sizes and profile applications to suit not only today's range of motorcycles but also those from the past years. They are individually boxed for added protection from UV degradation.

**VALVE**

**PV78-A**

**90° ANGLED METAL VALVE**



**VALVE**

**TR15**

**RUBBER OFFSET VALVE**



**VALVE**

**TR87-C**

**90° ANGLED METAL VALVE**



**VALVE**

**TR4-S & TR6-S**

**STRAIGHT METAL VALVE**




# STANDARD TUBES

| OLD PART # | NEW PART # | PRODUCT DESCRIPTION        | RRP   |
|------------|------------|----------------------------|-------|
| VI8810     | 8001355    | 350x 8 TR87s               | 9.25  |
| VI8820     | 8001356    | 250/275-70/100x10 TR4s     | 9.25  |
| VI8821     | 8001357    | 250/275-70/100x10 TR87s    | 9.25  |
| VI8822     | 8001358    | 300/350x10 TR87s           | 11.50 |
| VI8825     | 8001359    | 120-130/90-400x10 TR87s    | 11.50 |
| VI8830     | 8001360    | 275/300-80/100x12 TR4s     | 9.25  |
|            | 8001806    | 200/225-60/100x14 TR4s     | 9.25  |
| VI8840     | 8001361    | 250/275/300x14 TR4s        | 9.25  |
| VI8845     | 8001362    | 90/100x14 TR4s             | 11.50 |
| VI8848     | 8001363    | 130/90x15 TR6s             | 17.50 |
| VI8850     | 8001364    | 140-150/90x15 PV78A-ON     | 18.50 |
| VI8852     | 8001365    | 170/80x15 PV78A-ON         | 18.50 |
|            | 8001807    | 60/100x16 TR4s             | 9.25  |
| VI8855     | 8001366    | 250x16 TR4s                | 9.25  |
| VI8860     | 8001367    | 275/300x16 TR4s            | 9.25  |
| VI8862     | 8001368    | 325/350-90/100x16 TR4s     | 11.50 |
| VI8865     | 8001369    | 460-110/90x16 TR4s         | 11.95 |
| VI8868     | 8001473    | 130/90-MU90x16 TR15 Offset | 16.95 |
| VI8867     | 8001474    | 130/90-MU90x16 TR4 Offset  | 16.95 |
| VI8870     | 8001370    | 130/90x16 TR6s             | 13.95 |

| OLD PART # | NEW PART # | PRODUCT DESCRIPTION     | RRP   |
|------------|------------|-------------------------|-------|
| VI8872     | 8001371    | 140/90x16 PV78          | 21.95 |
| VI8885     | 8001372    | 225/250x17 TR4s         | 9.25  |
| VI8887     | 8001373    | 70/100x17 TR4s          | 9.25  |
| VI8888     | 8001374    | 275/300x17 TR4s         | 11.50 |
| VI8889     | 8001375    | 325/350x17 TR4s         | 12.95 |
| VI8892     | 8001376    | 460-110/90x17 TR6s      | 12.95 |
| VI8895     | 8001377    | 130/90x17 TR6s          | 13.50 |
|            | 8001808    | 150-160/70x17 TR4       | 14.50 |
| VI8900     | 8001378    | 250x18 TR4s             | 9.25  |
| VI8902     | 8001379    | 275/300x18 TR4s         | 11.50 |
| VI8905     | 8001380    | 325/350x18 TR4s         | 11.50 |
| VI8910     | 8001381    | 375/400-100/100x18 TR6s | 12.50 |
| VI8915     | 8001382    | 425/450-110/100x18 TR6s | 12.95 |
| VI8925     | 8001383    | 250-70/100x19 TR4s      | 9.25  |
| VI8927     | 8001384    | 275/300x19 TR4s         | 10.95 |
| VI8930     | 8001385    | 325/350-100/90x19 TR4s  | 12.50 |
| VI8935     | 8001386    | 110/80-90x19 TR6-ON     | 13.95 |
| VI8950     | 8001387    | 275/300-80/100x21 TR4s  | 11.95 |
| VI8960     | 8001475    | 300x23 TR4              | 15.95 |

# 2.50mm MEDIUM HEAVY DUTY TR4-S MX



| OLD PART # | NEW PART # | PRODUCT DESCRIPTION    | RRP   |
|------------|------------|------------------------|-------|
| VI8680     | 8001470    | MH70/100X10 TR4        | 16.95 |
| VI8690     | 8001471    | MH80/100x12 TR4        | 16.95 |
| VI8700     | 8001343    | MH90/100x14 TR4s       | 19.95 |
| VI8705     | 8001344    | MH90/100x16 TR4s       | 19.95 |
| VI8710     | 8001345    | MH70/100x17 TR4s       | 17.95 |
| VI8715     | 8001346    | MH70/100x19 TR4s       | 17.95 |
| VI8720     | 8001347    | MH100/100/460x18 TR4s  | 24.95 |
| VI8725     | 8001348    | MH110/100/510x18 TR4s  | 24.95 |
| VI8735     | 8001349    | MH100/110/120/80-90x19 | 27.95 |
| VI8745     | 8001350    | MH80/100-300x21 TR4s   | 21.95 |

# 4.00mm ULTRA HEAVY DUTY TR4-S MX



| OLD PART # | NEW PART # | PRODUCT DESCRIPTION    | RRP   |
|------------|------------|------------------------|-------|
| VI8748     | 8001472    | UH110/90-510x17 TR4    | 47.95 |
| VI8750     | 8001351    | UH100/100/460x18 TR4s  | 35.95 |
| VI8755     | 8001352    | UH110/100/510x18 TR4s  | 35.95 |
| VI8760     | 8001353    | UH100/110/120/80-90x19 | 36.95 |
| VI8765     | 8001354    | UH80/100-300x21 TR4s   | 32.95 |

# ATV TUBES

| NEW PART # | PRODUCT DESCRIPTION           | RRP   |
|------------|-------------------------------|-------|
| 8001797    | ATV 22x12.5/25x12-9 TR13      | 29.95 |
| 8001798    | ATV 21x7.00/22x8.00-10 TR13   | 22.95 |
| 8001799    | ATV 22x11.00/24x11.00-10 TR13 | 25.95 |
| 8001800    | ATV 23x8.00-11 TR13           | 25.95 |
| 8001801    | ATV 24x9.00-11 TR13           | 25.95 |
| 8001802    | ATV 24x8.00-12 TR13           | 22.95 |
| 8001803    | ATV 25x10.00-12 TR13          | 29.95 |



**GOODTIRE**


## Advantage of Butyl Rubber Inner Tubes

### KEY PROPERTIES:

(1) **Excellent aging stability (compared with Natural Rubber)**

Oxygen and ozone in the atmosphere will cause natural rubber to oxidize deteriorate, and eventually crack. Because Butyl Rubber has good aging stability, innertubes made from it have a longer life span.

#### AGING OF NATURAL RUBBER & BUTYL RUBBER



Ref: ExxonMobil Company Data

**Comparison based on natural and butyl rubber when:**

1) Exposed for 72 hours at 40°C


2) Stretched by 20%

Image shows the difference of aging resistance

(2) **High Impermeability to Gases**

Butyl Rubber exhibits excellent air retention pressure during it's service life. This is due to the highly packed polyisobutylene molecule.

Inflation Pressure Loss Rate



Ref: ExxonMobil Company Data




(3) **High Resistance to Heat**


Owing to the low level of unsaturation existing in the polymeric chain of butyl, the elastomer displays improved resistance towards exposure to extreme heat. These advantages allow butyl inner tubes to function at higher temperatures for a much longer period of time.



## Tensile Strength Retention



## Tear Resistance Retention



## CONCLUSION

***Butyl inner tubes have been shown to provide the following benefits:***

- A) Longer operational service life.
- B) Lower maintenance cost (e.g. LESS TIRE REPAIRS).
- C) Reduced operational expenditure - LESS REPAIRS, BETTER FUEL CONSUMPTION.  
(e.g: Every loss of 10 PSI inflation pressure will increase tyre rolling resistance by 6%.  
This gain in rolling resistance will result in an increase of fuel consumption by 2.5%).
- D) Improved safety.

**GOODTIRE**

**The 1st choice in  
BUTYL RUBBER inner tubes!**



**GOODTIRE**

# GOODTIRE

*Medium and Ultra Heavy Duty tubes  
Keeps the Air in your Ride*







# GOODTIRE TUBES

2019 CATALOGUE



**FREECALL** : 1300 300 191  
**FREEFAX** : 1300 300 181  
**CONTACT** : [info@mcleodaccess.com.au](mailto:info@mcleodaccess.com.au)  
or visit  
[www.mcleodaccessories.com.au](http://www.mcleodaccessories.com.au)  
[www.mcleodbiz.com.au](http://www.mcleodbiz.com.au)